



Outdoor Lighting





Lucia & Maddi LED Bulkheads

A modern bulkhead fitting made from a shockproof resin material, UV rays stabilised, rust and corrosion free. Suitable for wall and ceiling installation.

Maintenance Free Finishes

ANTI-CORROSION

Fumagalli® lanterns are designed to give years of trouble free life and will not deteriorate even if subjected to saline or polluted environments.

ANTI-SHOCK

Resin casing and PMMA diffusers offer shock resistant protection and extreme durability.

UV RAY STABILISED

Our unique resin formulation and paint process are weather proof and protected against the effects of UV rays.

LOW MAINTENANCE

The durable finish is maintenance free. No extra preparation or painting will ever be necessary in order to retain the original appearance.

Outdoor Lighting

Beam Angle

120°

Wattage

11W

Lifetime

25000hrs

Voltage

220-240V

Dimmable

No

Colour Temperature

4000K



IP66 Maddi Oval LED Bulkhead

Code	Description	Lumens
FMA10BKLED4K	IP66 Oval LED Bulkhead UV Protected	900lm
FMA30BKLED4K	IP66 Oval LED Bulkhead Eyelid UV Protected	900lm

A modern bulkhead made from a shockproof resin material



Available Colour Temperature

Available Finishes


Cool White

Black

- UV stabilised • Rust and corrosion free • Suitable for wall & ceiling installation • High quality silicone rubber gasket
- Stainless steel screws • Double insulation class 2

Product Approvals

Dimensions



Covered by a 5 year warranty.
Only valid once registered by calling (03) 9770 8694

Outdoor Lighting

oviaTM
ELECTRICAL



Beam Angle	120°
Wattage	11W
Lifetime	25000hrs
Voltage	220-240V
Dimmable	No
Colour Temperature	4000K

IP66 Lucia Round LED Bulkhead

Code	Description	Lumens
FLA10BKLED4K	IP66 Round LED Bulkhead UV Protected	900lm
FLA30BKLED4K	IP66 Round LED Bulkhead Eyelid UV Protected	900lm

A modern bulkhead made from a shockproof resin material



Available Colour Temperature	Available Finishes
------------------------------	--------------------

Cool White

Black


- UV stabilised • Rust and corrosion free • Suitable for wall & ceiling installation • High quality silicone rubber gasket
- Stainless steel screws • Double insulation class 2

Product Approvals



Covered by a 5 year warranty.
Only valid once registered by calling (03) 9770 8694

Dimensions



Outdoor Lighting

Lifetime

50000hrs

Voltage

100-240V

Dimmable

No

Ra

≥80



IP65 Weatherproof Espace LED Bunker

Code	Dimensions	Wattage	Lumens	Colour Temperature
EB8WLED-3K-W	87mm (H)	8W	550lm	3000K
EB8WLED-4K-W	87mm (H)	8W	600lm	4000K
EB8WLED-5K-W	87mm (H)	8W	600lm	5000K
EB13WLED-3K-W	104mm (H)	13W	900lm	3000K
EB13WLED-4K-W	104mm (H)	13W	1000lm	4000K
EB13WLED-5K-W	104mm (H)	13W	1000lm	5000K

Available Colour Temperature

Available Finishes

Cool White

Warm White

White



Product Approvals

Dimensions: Ø275mm or Ø327mm

Light Distribution




Covered by a 5 year warranty.
Only valid once registered by calling (03) 9770 8694



ROTUNDA LED BUNKER

Outdoor Lighting



Lifetime

50000hrs

Voltage

100-240V

Dimmable

No

Ra

≥80

IP65 Weatherproof Rotunda LED Bunker

Code	Dimensions	Wattage	Lumens	Colour Temperature
RB9WLED-3K-B	70mm (H)	9W	600lm	3000K
RB9WLED-4K-B	70mm (H)	9W	650lm	4000K
RB9WLED-5K-B	70mm (H)	9W	650lm	5000K
RB18WLED-3K-B	130mm (H)	18W	1200lm	3000K
RB18WLED-4K-B	130mm (H)	18W	1300lm	4000K
RB18WLED-5K-B	130mm (H)	18W	1300lm	5000K

Available Colour Temperature

Available Finishes

Cool White

Warm White


Black

Product Approvals




Covered by a 5 year warranty.
Only valid once registered by calling (03) 9770 8694

Dimensions: Ø275mm or Ø360mm



Light Distribution



Wattage

60W

Voltage

220-240V

Dimmable

No

Lampholder

E27



IP54 230V Oval Bulkhead

Code	Description	Finish
OL400WH	Die - cast body with glass diffuser	White
OL400BK	Die - cast body with glass diffuser	Black

Good protection against ingress of dust and moisture
Lamp sold separately

Available Finishes

White


Black

Product Approvals



Complies with BS EN 60598
Covered by a 5 year warranty.
Only valid once registered by calling (03) 9770 8694

Dimensions



PYRAMID LED BUNKER

Outdoor Lighting



Wattage

8W

Lifetime

50000hrs

Voltage

100-240V

Dimmable

No

Ra

≥80

IP65 Weatherproof Pyramid LED Bunker

Code	Lumens (lm)	Colour Temperature
PB8WLED-3K-B	550lm	3000K
PB8WLED-4K-B	600lm	4000K
PB8WLED-5K-B	600lm	5000K

Available Colour Temperature

Available Finishes

Cool White

Warm White


Black

Product Approvals



Covered by a 5 year warranty.
Only valid once registered by calling (03) 9770 8694

Dimensions



Light Distribution

